



क्रय अनुभाग
वन अनुसंधान संस्थान
देहरादून-२४८००६
GSTIN 05AAAAI1708G2Z6
PAN NO. AAAAI1708G

Purchase Section
Forest Research Institute,
DEHRADUN-248006
Phone: 0135-2224205
http://fri.icfre.gov.in/tender/
Email: po_fri@icfre.org



निविदा दस्तावेज/ Tender Document

Ref. No X-72/ECC/HS/AICRP/2019-20

Date: 13/02/2020

Physical Bids under two bid systems (Technical and Commercial) are invited from the reputed manufacturer /authorized supplier/dealer for the following items. The bids complete in all respect must reach to the Purchase Officer, Purchase Section, Forest Research Institute, P.O. New Forest, DEHRADUN-248006 Uttarakhand, India on or before:

Date	28-02-2020	Time	03:00PM
------	------------	------	---------

वस्तु की तकनीकी विशिष्टताये / Technical Specification of item:

Sr. No.	Name of item / Specifications/	Quantity	EMD (Rs.)
1.	Work Station	01	5,000/-
2.	Digital DSLR Camera with tele lenses & tripod	01	7,000/-
3.	Gas Analyzer (Portable)	01	12,000/-
4.	Automatic Weather Station	01	24,000/-
5.	Soil CO ₂ Flux System	01	24,000/-
(For Detailed Technical Specification Plz refer Annexure-VI)			
नोट-1: कृपया वस्तु का मूल्य एवं कर अलग-अलग दर्शाए / Please quote the rate & Taxes of the item separately.			
Note-2: E-way bill is to be issued by the Venders/Transporter			
Note-3: The HSN / SAC Code of the item must be mentioned.			
For Reasonability of Rates, The firm must enclose the last two supply orders for the same item with Financial Bid (Annexure-IV) only.			
Technical Clarifications:	Dr. Hukum Singh	Forest Ecology & Climate Change Division , FRI Dehradun	Ph: 0135-222-4413 Email: hukum@icfre.org

Chapter-1: Instruction to bidders

A. The Tender should be enclosed with proper certifications like Agency Certification, Authorization certificate and /or Proprietary Certificate, as the case may be, in support of your offer.

B. बोली का जमा किया जाना / Submission of Bids:

- The bids should be submitted in two parts-
 - The Technical Bid (Annexure-I,II,III and VI with Supporting/Required documents) and
 - The Financial Bid (Annexure-IV & V).
 Both in separate sealed covers and then these two sealed packets (with the identification statement clearly written- Technical Bid or Financial Bid) should be put in one covering sealed envelope labeled on the left hand top corner of their envelope mentioning followings:

Ref. No X-72/ECC/HS/AICRP/2019-20

Bid Submission End Date/Time: 28-02-2020 by 03:00 PM

Name (in full) and complete address of the firm should be mentioned on left hand bottom corner of the covering envelop.

- The bids should be printed on **official pad** preferably with GST Number of the firm.
- The quotations should bear full details and where possible may be duly supported with catalogues, pamphlets, literature, samples of the item/items as the case may be for comparing the quality and rates of the item(s).
- Quotation received after the closing date and time shall not be considered.
- The transportation cost, insurance charge etc., if any, Percentage/ rate of GST or all other taxes and duties should be clearly mentioned.
- The bids / rates / tenders should remain valid for a minimum period of 45 days from the date of opening.
- Since this purchase being for research purpose, the Forest Research Institute, Dehradun is registered in DSIR, New Delhi; it is therefore exempted from the payment of custom duty / GST up to the limit of exemption as per the Govt. Rules. The bidder should quote accordingly.
- There should not be any over-writing or cutting on rates quoted. However, all cutting/corrections must be duly authenticated else the offer will be rejected.
- The rates shall not be subject to escalation of any nature.
- The rates quoted should be applicable to educational institutions and any cost advantage received in lieu thereof should be passed on the Institution.
- While quoting/ sending rates, the firm shall give an undertaking as per Annexure-II.
- The quotations should be given for the items in the same order as in the enquiry letter.

C. निविदा शुल्क/ Tender Fee एवं/and अग्रिम धन राशि / Earnest Money Deposit (EMD)

The Technical Bid should accompany Tender Fee of Rs.590/- (including 18% Service Charge) in the form of Demand Draft only and an amount of EMD mentioned at the first page of this tender document only for the equipment(s) bidding by the bidder in the form of FDR only, issued only from any nationalized bank of India drawn in favour of "Director, Forest Research Institute, Dehradun" valid 90 days beyond the validity period of bid. The bids received without Tender Fee and EMD will be rejected.

Bidders registered with MSME/NSIC/KVIC etc as per Public procurement policy for Micro & Small Enterprises (MSE) order 2012 are exempted categories from payment of Tender Fee and EMD provided that the registration certificate issued by any one of these below mentioned agencies must be valid as on close date of tender.

D. निष्पादन बैंक प्रत्याभूति / Performance Bank Guarantee (PBG):

5% of the cost price in the form of Bank Guarantee or FDR pledged in favour of "Director, Forest Research Institute, Dehradun" is required at the time of installation of the equipment from the successful bidder only which should remain valid at least during the warranty period plus sixty days.

- 1) The technical Bids will be opened as given below. Representatives of the firms (s) may be present at the time of opening the technical bid if they so desire at below schedule (No information shall be given to the late arrivals regarding the bids):

Bid Submission Opening Date/Time:	28-02-2020	04:00 PM	Venue: Purchase Section, Main Building FRI Dehradun
--	-------------------	-----------------	--

- 2) The Financial bids of only the Technically Qualified bidders will be opened. The date and time for opening the Financial Bid will be communicated to the respective firm later on by post/e-mail.

- 3) Representatives of the firms (S) may be present at the time of opening the financial bids if they so desire.

Chapter-2: Conditions of Contract

A. कार्य अनुबन्ध / Award of Contract:

The final selection of the bidder for the award of the contract will be made on the basis of the lowest commercial bid amongst the Technically Qualified Bidders.

B. पूर्व आपूर्ति निरीक्षण/ Pre-supply Inspection:

Authorized representative of the Institute shall make the final inspection before supply of the item at site of the firm, if required.

C. वस्तु की आपूर्ति / Supply of Item:

The whole supply as per order shall have to be completed within the time mentioned in the order failing which the FRI Dehradun shall have the right to accept or reject any quantity of items ordered. The firm will have to arrange for supply of the material/equipment in good condition.

D. भुगतान की शर्तें / Payment Terms:

1) Payment in INR for supply of goods:

Where installation is not required: 100% payment will be made after satisfactory delivery of material duly certified by the HOD.

OR

Where installation is required: 100% payment will be made after satisfactory delivery and installation of the material duly certified by the HOD.

OR

100% Advance will be paid against submission of 110% Bank Guarantee of the Total Order value.

2) Payment in INR for AMC/CMC/Service:

Quarterly/Half yearly after satisfactory completion of work/service duly certified by the H.O.D./P.I.

3) Payment in Foreign Currency for supply of goods:

Payment will be made as below after deducting Indian Agency Commission (if any). IAC is payable in Indian Rupee after satisfactory installation.

(i) Payment through Letter of Credit (LC).

(ii) Payment 100% through Sight Draft

(iii) Payment through Wire transfer after receipt of material in good condition.

4) Payment in Foreign Currency for AMC/CMC/Services:

Quarterly/Half yearly after satisfactory completion of work/service duly certified by the H.O.D./P.I. through wire transfer.

E. दंड/ Penalty:

A penalty of 0.5% of the total order value per week shall be levied for the delay subject to a maximum of 5% of the total order value. In case of the non-supply of the item after the acceptance of the work/supply order, EMD will be forfeited by the Institute.

F. अप्रत्याशित घटना/ Force Majeure:

For the purpose of and within the scope of contract by way of indication and not of limitation, the term "Force Mejeure" shall mean acts of nature, strikes, Lockouts, or other industrial disturbances, act of public/enemy, wars, blockades, insurrection, riots, epidemics, landslides, earthquakes, storms lightening, flood, washouts, civil disturbances, explosion and any other similar even not within the control of either party on which by exercise of due care and diligence neither party is able to prevent or overcome.

G. मध्यस्थता/Arbitration:

In the event of any difference or dispute arising out this work, all effort shall be made by both the parties to settle the same amicably. Failing an amicable settlement, the dispute shall be finally settled through arbitration conducted under the Arbitration and Conciliation Act 1996, by arbitrators appointed in accordance with the said Act. The arbitration shall give reasoned and speaking award. All disputes are subject to Dehradun jurisdiction only.

H. बोली अस्वीकृती के लिए मानदंड/ Criteria for bid rejection:

- 1) If not received on or before due date and time.
- 2) If technical bid found without the required undertaking (Annexure-II).
- 3) If it found at a later date that any information given in the bids is incorrect/false then the bid is liable to be disqualified/rejected.
- 4) Canvassing in any form will result in disqualification.
- 5) If "extra, as actual" etc. are mentioned against any of the price components in the bid the bid will be rejected.
- 6) Technical bids should be sealed. More over, Financial / Commercial bid should also be sealed separately. The sealed envelopes of technical and financial bids should be further put in the main envelop. Main envelop should be sealed. If the financial bid envelop is found opened/unsealed, then bid shall be rejected outrightly.

- 7) If any bidder submitting two/multiple bids for the same of a tender, both/all the bids if that bidder will be outrightly rejected.
- 8) If the firm quotes 'NIL' charges/ consideration, the bid shall be treated as unresponsive and will not be considered.

I. सत्यनिष्ठा संहिता /Code of Integrity

False declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for upto 2 years as per rule 151 (iii) of the General Financial Rules along-with such other actions as may be permissible under law.

Chapter-3: Schedules of requirements

A. टिप्पणी/Note:

- 1) If the Supplier/firm is manufacturer/authorized dealer/sole distributor/of the item, the certificate to this effect should be attached.
- 2) Please note that the firms must submit the compliance Statement in an organized and structured manner in respect of all the specifications as per Annexure-V with the supporting printed catalogue/leaflet of the firm. **Annexure-I, II, III & VI have to be submitted with Technical Bid and Annexure-IV & V with Financial Bid.**
- 3) It may also be noted that the tender bids received after the stipulated date & time or found incomplete and tender bids containing false/incorrect information shall be summarily rejected. The Institute shall not entertain any communication in this regard, whatsoever.
- 4) The firm is required to give its Bank Account details with IFSC for the purpose of making e-payment.
- 5) The Forest Research Institute (FRI) Dehradun reserves the right to reject any quotation wholly or partly without assigning any reason.
- 6) The quantity shown against the item is approximate and may vary as per demand of the Institute at the time placing order.
- 7) The decision of the Institute in all matters relating to eligibility, acceptance, rejection of the bid will be final and binding on the applicants.
- 8) Forest Research Institute (FRI) Dehradun discourages High Sea Sale Purchase. All tenders with High Sea Sale will be rejected.
- 9) The firms should clearly mention (in the financial bid) the Harmonized System of Classification (HS code) defined by the Central Custom and Excise Board (Govt. of India) for the item (s) involving import.
- 10) If the due date happens to be a holiday, then the bid will be accepted till 03.00 PM and opened at 04.00 PM of the next working day followed by the holiday.
- 11) If an agent submits bid on behalf of the Principal/OEM, the same agent can not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.
- 12) **Indian Agent should submit the certificate from the Foreign Principal that they are the Authorized & Registered Indian Agent.**
- 13) The quantity shown in the tender can be increased or decreased to any extent depending upon the actual requirement. Any corrigendum/addendum/errata in respect of the Tender Notice/ Enquiry letter shall be made available only at our Institute website <http://fri.icfre.gov.in/tender/>. Hence prospective bidders are advised to visit the Institute website regularly.
- 14) Bidders shall be responsible for the correctness of the information provided in the enquiry letter/tender document. If it is found at a later date that any information given in the bid is incorrect/false then the bid is liable to be disqualified/rejected.
- 15) Institute will not be responsible for non-receipt of bid(s) within the stipulated date due to any postal delay or delay for any other reason in transit.
- 16) Before submission of bids, bidders should read the complete enquiry letter/tender document carefully and ensure that the bidders fulfill the eligibility criteria.
- 17) In case the item /product is under rate contract with DGS&D or GeM, then bidder should certify that the rate quoted is not over and above (higher side) the rates under RC with the DGS&D or GeM.
- 18) In case calculation mistakes are found in the financial bid, then calculation shall be made by the Institute on the basis of rate per unit quoted by the bidders will be processed further.
- 19) The Institute reserves the right to rectify any discrepancy of this advertisement, if found later on. In case of any inadvertent mistake in the process which may be detected at any stage even after the issue of purchase order, the Institute reserves the right to modify/withdraw/cancel any communication made to the bidder.

Chapter-4: Specification and allied Technical details

Plz. See Annexure-I, II, III & VI

Chapter-5: Price Schedule (to be utilized by the bidders for quoting their prices)

Plz. See Annexure- V


Chapter 6: Contract Form

Purchase Order is used as Contract Form

Chapter-7: Other Standard Forms, if any to be utilized by the purchaser and bidders

Plz. See Annexure - IV


[PURCHASE OFFICER, FRI]



तकनीकी बोली

(To be given on Company Letter Head)

विस्तृत विवरण अनुपालन रिपोर्ट के साथ प्रस्तुत किया जाना है (अपने आधिकारिक लेटरहेड पर विक्रेता/ फर्म द्वारा प्रस्तुत करने के लिए)
 Detailed specification cum compliance report to be submitted with the Technical Bid
 (to be submitted by the vender/firm on its official letter head)

(For Detailed Technical Specification Plz refer Annexure-VI)

Sr. No.	Name & Required Specifications of item (s)	Qty.	EMD	Offered specification of item (s) by the firm
1.				
2.				
3.				
4.				
5.				

	Firm's Profile
1)	Manufacturer/Authorized Agent/Distributor/Dealer/Supplier (Valid certificate must be attached)
2)	E-mail ID & Telephone/Mobile No. Detail of Bank A/C
Note:	(i) "Offered specification" should be filled up properly in the format provided as per Annexure-I
	(ii) Volume & Weight of the item should also be mentioned.
	(iii) The HSN / SAC Code of the item must be mentioned.

Signature:

Name:

Designation:

Seal of the Organisation

उपक्रम/UNDERTAKING
TENDER ACCEPTANCE LETTER
(To be given on Company Letter Head)

Date:

To,

Director
 Forest Research Institute
 Dehradun-248006

Sub: Acceptance of Terms & Conditions of Tender.

Ref. No X-72/ECC/HS/AICRP/2019-20

Date: 13/02/2020

Agreement/Contract Form

Dear Sir,

- (i) I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
- (ii) The corrigendum(s) issued from time to time by your department/organization too have also been taken into consideration, while submitting this acceptance letter
- (iii) I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.
- (iv) I / We do hereby declare that our Firm has not been blacklisted/ debarred / banned by any Govt. Department/Public sector undertaking.
- (v) I / We certify that all information furnished by the our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
- (vi) It is certified that the rate quoted is not over and above (higher side) the rates under RC with the DGS&D or GeM.

Signature:

Name:

Designation:

Seal of the Firm/Agency

CHECK LIST

SI No	(A) Qualifying documents	Yes/No	Page No.
1.	Tender fees for Rs. 590/- (including 18% Service Tax) in shape of crossed D.D in favour of Director, Forest Research Institute, Dehradun or Signed and scanned copy of Exemption certificate like MSME, KVIC, NSIC etc.		
2.	EMD for item No. (1) of Rs. 5,000/- (2) of Rs. 7,000/- item No. (3) of Rs. 12,000/- item No. (4) of Rs. 24,000, and item No (5) of Rs. 24,000/- in shape of FDR in favour of Director, Forest Research Institute, Dehradun or Signed and scanned copy of Exemption certificate like MSME/ NSIC/KVIC etc.		
3.	Signed and scanned copy of AUTHORIZATION certificate, if applicable.		
4.	Signed and scanned copy of PAN card		
5.	Signed and scanned copy of TENDER ACCEPTANCE LETTER as per tender document Annexure II.		
6.	Signed and Scanned copy of GST certificate, if applicable.		
7.	Signed and Scanned copy of Affidavit of PARTNERSHIP DEED , if applicable.		
8.	Signed and Scanned copy of AUDITED BALANCE SHEET of last two years.		

SI No	(B) Technical Documents	Yes/No	Page No.
1.	Signed and Scanned copy of the self certification only from the local suppliers that the item offered meets the minimum local content (50 % or more Indian manufactured parts are used in the item by cost/value) and shall give the details of the location at which the local value addition is made, wherever applicable.		
2.	Scanned and signed copy of users list and supportive documents from the users for the satisfactory performance and after sales service showing. The firm must enclose the last two supply orders for Reasonability of Rates.		
3.	All specifications should be certified and guaranteed for GENUINENESS & BRAND NEW ITEM and that the model of the equipment is NOT GOING TO BE OBSOLETE in near future (5 years) (Scanned and signed copy of supportive documents from the Principal to be enclosed).		
4.	AVAILABILITY OF SPARES/PARTS for next five years to be ensured (supportive documents from the Principal to be enclosed)		

Note:

1. It is compulsory to fill the above check list with pagination.
2. The document should be submitted/uploaded online in CPP portal in the above order of the check list and place the check list as cover page with pagination of documents.
3. In the absence of any of the qualifying documents, the bid shall be rejected.
4. Tender fee:-The tender form downloaded from above web sites must include **Rs. 590/- (including 18% Service Tax)** by crossed Demand Draft in favour of Director, FRI as tender fee and be **submitted by post/hand to Purchase Officer, Forest Research Institute, Dehradun-248006** on or before the opening date of technical bid, and the scanned copy of the same should be uploaded in the CPP Portal before date-time of submission technical bids.

Signature:

Name:

Designation:

Seal of the Firm/Agency

Financial Bid

(To be submitted by the vendor/firm on its official letter head)

Ref. No X-72/ECC/HS/AICRP/2019-20

Dated: 13/02/2020

Rates:						
Sr. No.	Name of item / Specifications/	Qty.	Unit Rate (Rs.)	Amount (Rs.)	GST etc. @.....%	TOTAL (Rs.)
1.	Work Station	01				
2.	Digital DSLR Camera with tele lenses & tripod	01				
3.	Gas Analyzer (Portable)	01				
4.	Automatic Weather Station	01				
5.	Soil CO ₂ Flux System	01				
Total						
Grand Total Rs.						

- 1) Price of the items should be clearly mentioned if supplied Free of Cost.

Term & Conditions:

Prices (if quoted in Rs.):

FOR FRI, DEHRADUN

1. Prices (if quoted in Foreign Currency) : CIP/CIF New Delhi OR FOB/FCA/Ex-Work

2. Payment:

3. Validity:

4. Delivery period:

5. Other Charges:

6. Warranty:

Onsite 03 Years

7. Rejection:

Equipment if found not as per the required specification would be rejected.

8. Penalty Clause:

As per clause-E of enquiry letter.

In case of the non-supply of the item after the acceptance of the work/supply order, EMD will be forfeited by the Institute.

9. PBG:

5% of the cost price in the form of Bank Guarantee or FDR pledged in favour of "Director, Forest Research Institute, Dehradun" is required at the time of installation of the equipment which should remain valid at least during the warranty period plus sixty days.

It is certified that the rate quoted is not over and above (higher side) the rates under RC with DGS&D or GeM.

Signature:

Name:

Designation:

Seal of the firm/Organisation

Mandatory field to fill up by the supplier (enclosed with financial bid only):

Ref. No X-72/ECC/HS/AICRP/2019-20

Date: 13/02/2020

1. Please tick (v) carefully the followings as per requirement:

A. Customs Duty Exemption Certificate (with following supporting document) []

- (i) GATT Declaration
- (ii) Authority letter for custom Clearance
- (iii) Bank Release Order (BRO)
- (iv)
- (v)
- (vi)
- (vii)

B. Road Permit / Trade tax Declaration (against Form-32). []

C. GST Exemption Certificate. []

2. Please fill up the following details:

A. Complete address of Freight Forwarder, Air lines etc. in whose favor Bank Release Order (BRO) has to be issued:

M/s

B. Complete address of Custom House Agent (Cha)/ Clearing Agent in whose favor GATT / Authorization for custom clearance has to be issued.

M/s

C. Complete address of the firm / supplier / CHA to whom original clearance documents will be sent:

M/s

3. Supplier has to submit above details with the financial bid wherever possible and has to send the above detail toand our CHA well ahead in time prior to shipment.

4. Forest Research Institute, Dehradun Custom House Agent (CHA) Address

M/s Cwick (Import Consolidation), Private Limited,
 L-II/101, New Mahavir Nagar Extension,
 Outer Ring Road, New Delhi-110018,
 E-mail: info@cwickimport.com and followup@cwickimport.com
 Tel: + 91-09313996082, + 91-11-25996082, + 91-11-25992781

5. Details of Institute:

Import Export Code (IEC code FRI)	0100000011	
AD CODE	02900682870007	Union Bank of India, Main Branch, Rajpur Road, Dehradun-248001

Item No. 1 Work Station

Specification**Specification for work station (Desktop Computer with UPS-5KV)**

Form Factor	Desktop
Processor	
Processor Make	Intel
Processor Generation	8
Number of Cores per Processor	8
Processor Base Frequency (GHz)	3.7
Processor Turbo Frequency (GHz)	4.5
Processor Description	Intel Xeon W Series
Processor Number	Intel Xeon W-2145
Number of sockets available on the motherboard	1
Number of Sockets populated with the Processors	1
Cache (MB)	11
Out of Band Management	Intel vPro
Motherboard	
Chipset Number	Intel C422
Expansion Slots (PCIe x 1) (Number)	1
Expansion Slots (PCIe x 4) (Number)	1
Expansion Slots (PCIe x 8) (Number)	1
Expansion Slots (PCIe x 16) (Number)	2
Expansion Slots (PCI) (Number)	1
Graphics	
Graphics Type	Dedicated/Discrete
Number of Graphic Cards	1
Graphic Card Description	nVIDIAQuadro P4000 8GB
Operating System	
Operating System (Factory Pre-Loaded)	Windows 10 Professional 64 bit
OS Certification	Windows, UbuntuLinux,Redhat Linux
Applications	
Memory	
RAM Type	DDR4
RAM Speed (MHz)	2666
Type of Memory	ECC RDIMM
RAM Size (GB)	32
Total Numbers of DIMM Slots Available	8
Number of DIMM Slots Populated	2
RAM Expandability upto using spare DIMM Slots (GB)	256
Primary Storage /Boot Drive	
Type of Drives used to populate the internal Bays	SSD
Number of Drives	1
RAID for Operating System	NA
Capacity of each Drive (GB)	256
Secondary Storage	
Type of Drives used to populate the Internal Bays	SATA
Total number of Internal Bays available for SATA Drive	4
Number of Internal Bays populated with SATA Drive	1

Each SATA Drive Capacity (GB)	2000
Speed of each SATA Drive (RPM)	7200
Total SATA Drive Capacity (GB)	2000
Total number of Internal Bays available for SAS Drive	0
Number of Internal Bays populated with SAS Drive	0
Capacity of each SAS Drive (GB)	0
Speed of each SAS Drive (RPM)	0
Total SAS Drive Capacity (GB)	0
Total number of Internal Bays available for SSD	1
Number of Internal Bays populated with SSD Drive	1
Capacity of each SSD Drive (GB)	256
Total SSD Capacity (GB)	256
Total number of Internal Bays available for PCIe SSD	0
Number of Internal Bays populated with PCIe Drive	0
Capacity of each PCIe Drive (GB)	0
Total PCIe Drive Capacity (GB)	0
Class of PCIe Drives	NA
RAID	
RAID level	0,1,5,1+0
Number of RAID Controller Ports	6
Speed of RAID Controller Ports (Gbps)	6
RAID Controller Cache (GB)	0
Connectivity	
Type of Ethernet Ports	Single Gigabit NIC 10/100/1000
Number of Ethernet Ports	1
Wireless Connectivity	No
If Yes, Type of Wireless Connectivity	NA
Bluetooth Connectivity	No
If Yes, Version of Bluetooth Available	0
Ports	
Number of USB Version 2 Point 0 Ports	0
Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	8
Number of USB Version 3 point 1, Gen 2 Ports	0
Number of USB Type C Ports	2
Number of VGA Ports	0
Number of HDMI Ports	0
Number of Mini DP Ports	0
Number of DP Ports	4
Display	
Display Availability	Monitor
Display Size (cm)	58- 61
Display Type	Non Touch
Panel Type	Flat
Panel Technology	IPS
Display Resolution (Pixels)	1920x1080
LED Backlit	Yes
TCO Compliance for Monitor	TCO 07
Colour Gamut	72% Color Gamut
Monitor Stand	Standard
Power	

Maximum Power (Watts)	950
Minimum Power Efficiency (%)	90
Power Management Unit	Yes
Redundant Power Supply	No
Input Devices	
Mouse Connectivity, If available	Wireless
Type of Mouse, If available	Optical Scroll
Keyboard Connectivity, if available	Wireless
Type of Keyboard, if available	Standard with Rupee Symbol
Type of Keyboard in case of Mobile Workstation	NA
Generic	
Optical Drive	DVD R/W
Number of External Bays	2
Security	S/W Based
Docking Station for Mobile Workstation	No
Availability of Bundled Software	Yes
Type of Bundled Software	Standard Performance Improvement Software
Finger Print Reader in case of Mobile Workstation	NA
Carry Case in case of Mobile Workstation	NA
Certification	
BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes
BIS Registration Number and its Validity	R-67000094
ROHS Compliance	Yes
Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	UL/EN/CE/IEC-60950 for Safety, CE/FCC for EMC & Immunity, UL,CE,FCC
Operating Conditions	
Minimum Operating Temperature (Degree C)	5
Maximum Operating Temperature (Degree C)	35
Minimum Operating Humidity (%RH)	10
Maximum Operating Humidity (%RH)	90
Warranty	
Battery Warranty in case of Mobile Workstation	0
On Site OEM Warranty (Year)	3
UPS SPECIFICATION	
Rating in KVA (KVA)	5.0 KVA
Technology	IGBT-PWM without inbuilt isolation transformer
Input Power	Single phase 160V - 260V sinewave,50Hz
Output power	Single phase 230V +/-1% sine wave 50 Hz
Backup time (Minutes)	30
Minimum VAH (VAH)	4992
Warranty for UPS (Years)	2
Movable trolley for Batteries	Without trolley but with rack
Warranty for battery	2
Degree of Protection	IP20
Cabling 5 meters for input and out put	Without
Paralleling kit for synchronising	Without

Installation and Commissioning	Yes
CONSTRUCTIONAL	
Minimum thickness of M.S. Sheet Enclosure duly painted (mm)	1
Type of Battery	SMF-VRLA conforming to JISC:8702(Pt.I,II&III)
FUNCTIONAL	
Maximum overshoot and Under shoot of output rated voltage	4
Voltage Regulation from no load to full load (%)	< / = 3%
20% Overload limit for minimum 10 minutes	No, only for 5 Minutes
Overall Efficiency (%)	> / = 90%
Total Harmonic Distortion (THD) (%)	Maximum 3%
50% Overload limit for minimum 1 minutes	Yes
PROTECTION	
Protection for under voltage at battery terminal at 10.5V per 12 V battery	Yes
Protection of Over voltage, Short Circuit & over load at UPS output terminal	Yes
METERING AND INDICATIONS	
Digital Metering in UPS for AC Input Voltage, Output AC Voltage, Current, Frequency, Battery Voltage and Current	Yes
Indicators for mains presence, Battery charging and discharging, Output Over Load, Low Battery Voltage	Yes
REPORTS AND CERTIFICATION	
Damp Heat : in accordance with IS:9000(part 5/sec.2)1981 at Temperature of 40 degree C, two cycles of (12+12) hours each 2007)	Yes
Dry Heat Test : in accordance with IS:9000 (part 3/sec.5)1977 (reaffirmed 2007) at 55 degree C for 16 hrs	Yes
Cold Test: in accordance with IS: 9000 (Part 2/Sec.4)1977 (Reaffirmed 2007) at -10 degree C for 4 hrs.	Yes
Availability of the Type Test Report from Central Govt. /NABL/ILAC Accredited lab covering all technical requirements.	Yes
Requirement of BIS Certified	Yes
As per MEITY (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes

Item No. 2 Digital DSLR Camera with tele lenses & tripod

Main body specifications	
Body	Metallic
Batteries	Rechargeable
Battery cell composition	Lithium Ion with Battery Charger
Flash memory card	SD
Hardware interface	Audio – visual (A/V) port
Display resolution maximum	Full HD
Max resolution	20.5 megapixels or more
Optical sensor resolution	21.50megapixels or more
Max vertical resolution	3710 pixels or more
Screen Size	3.2 Inches or more
Included Memory Card Size	32 GB/64 GB or more
Max Shutter Speed	1/8000 seconds or more
Min Shutter Speed	30 seconds or more
Supported Image Type	JPEG or better
Connector type	Wi-Fi, Bluetooth
Self-timer	Should have self-timer
GPS	GPS enabled with high accuracy will be preferred
Ports	USB Cable Clip, HDMI Cable Clip
Weight	Light weight
Lens – for close shot (specifications): Lens should be compatible to the main body of the camera with the following specifications	
Focal length and aperture size	Focal length (115mm or above) and aperture (2.7 to 3.0 mm)
Photography	Lens should be designed for close-up and macro photography
Focusing distance	Very close to the object or up to 30 to 35 cm foot distance of objective
Lens construction	14 or more elements in at least 12 groups
Response	Lens should provide fast and quiet auto-focusing without changing the length of the lens.
Weight	Light weight
Lens for far shot (specification): Lens should be compatible to the main body of the camera with the following specifications	
Focal length and aperture size	200 to 500 mm or better
Maximum aperture	f/ 5.6 or better
Minimum aperture	f/ 32 or better
Minimum focus distance	Not less than 2 meters
Lens construction	Around 19 elements in 12 groups or better
Auto focus	Should have auto focus
Image stabilization	Should have feature of VR (Vibration Reduction) image stabilization
No. of diaphragm blades	9 (rounded diaphragm opening) or more
Diaphragm	Should have ability of automatic electronic aperture control
Tripods	
Camera tripods	A good quality Tripods for holding camera should be provided

Item No. 3 Gas Analyzer (Portable)

Specification

Gases to be monitored: CO₂, CH₄, N₂O, and H₂O

Use: The portable gas analyzer will be utilized to monitor the emission of greenhouse gases such as CO₂, CH₄, N₂O, and H₂O from the wetland ecosystem. The instrument must be able to provide simultaneous measurement of emission of all the gases from the ecosystem.

Gas	Specification
CO ₂	<ul style="list-style-type: none"> ➤ Range: 0-20% Vol ➤ Zero Resolution: 1 ppm ➤ Zero Repeatability: ±10 ppm ➤ NDIR principal based
CH ₄	<ul style="list-style-type: none"> ➤ Range: 0-2.5% ➤ Resolution at Zero: < 200 ppm ➤ High accuracy ➤ Resolution at Zero: < 400 ppm ➤ Zero Repeatability: < ± 500 ppm ➤ Fast Response (FS) Repeatability: < ± 0.1% Vol
N ₂ O	<ul style="list-style-type: none"> ➤ Range: 0-2000 ppm ➤ Accuracy: ± 1% FS ➤ Zero Resolution: 1 ppm ➤ Full Scale Resolution: 1% FS ➤ Zero Repeatability: ± 10 ppm ➤ Full Scale Repeatability: ± 20 ppm
H ₂ O	<ul style="list-style-type: none"> ➤ Measuring Range: up to 35% ➤ Working Environment: 0-40 °C ➤ Temperature Compensation: Automatic
Other specification <ul style="list-style-type: none"> ➤ One year warranty ➤ Onsite training ➤ Data retrieval facility ➤ GSM sim facility as well as WiFi simultaneously in the equipment itself ➤ Customized front end webserver ➤ LoRa (Long Range) technology-enabled ➤ At least 3.2 inches colour touch display. ➤ The instrument must be able to monitor all the gases at the same time which display on the screen. 	

Specification

Automatic Weather Station should be portable, light in weight, weather proof, easy to install in field, In-built rechargeable battery with following specifications

1. Data-logger

- Data-logger should be portable, water proof with inbuilt rechargeable battery.
- No. of Channel : 12 or more
- Response Time : 1 sec
- Sampling Frequency : 10 Hz
- Data Storage : Micro SD card
- Memory Capacity : >2GB /expandable
- Battery/Power : Inbuilt, Rechargeable, Lithium-ion 12 VDC
- Wireless data Communication : GPRS/GSM/3G /CDMA
- Operating Temperature Range : -40⁰C to 80⁰C:
- RH range : 0-100%
- Air Temperature Sensor
- Range : -40°C to +120°C
- Resolution : 0.010C
- Accuracy : ±0.30C

2. Humidity Sensor

- Measuring Range : 0 to 100%
- Resolution : 0.05%
- Accuracy : ±2%

3. Solar Radiation Sensor

- Range : 0-1750 W/m²
- Resolution : 1 W/m²
- Accuracy : 1 W/m²

4. Rain Fall- Tipping Bucket Rain Gauge

- Range : 0-500 mm/hr
- Resolution : 0.2mm
- Accuracy : ±3%
- Rim Diameter : 20cm
- Material : Stainless steel, powder coated paint

5. Wind Speed Sensor (Anemometer)3cup, Digital / Pulse

- Unit : m/s or km/hr
- Range : 0-58 m/s (0-209 km/hr)
- Resolution : 0.45 m/s (1.6 km/hr)
- Accuracy : ±5%

6. Wind Direction Sensor (Digital)

- Operating Range : 0 to 360°
- Resolution : 1° (0 to 355°)
- Accuracy : 7°
- Excitation Voltage : None passive

7. Soil Moisture Sensor (Quantity- 3)

- Measuring principal: TDR/FDR
- Range : 0 – 100% VWC
- Accuracy +/- 3%
- Cable : >3m

8. Soil Temperature Sensor (Quantity- 3)

- Range : -20°C to - 60°C
- Resolution : 0.1°C
- Accuracy : +/- 0.10C
- Cable Length : 4 m

9. Soil Heat Flux plate-heat flux

- Unit : Wm^{-2}
- Range : -2000 to +2000 W/m^2
- Sensitivity : $50 \mu\text{V/W m}^2$
- Accuracy : $\pm 5\%$ FSD
- Cable Length : 1 m

10. PAR-Quantum sensor with 2m cable

- Range: 2000 $\text{mol/m}^2/\text{sec}$
- Resolution : 0.01 $\text{mol/m}^2/\text{sec}$
- Accuracy : $\pm 5\%$ FSD
- Excitation Voltage : None passive
- Quantum PAR Cosine Corrected (PAR; 400 to 700nm)
- Cable Length : 5 meter

11. Automatic Evapotranspiration Calculation logged as a Virtual Sensor

System should supply with all above sensor, solar panel, mast/tripod and required accessories

Item No. 5 Soil CO₂ Flux System

Specifications of Soil CO₂ flux system/ Soil respiration system/ Soil CO₂ flux analyser

Features	Specifications
CO₂ Measurements	
Measurement range	0 to 20,100 ppm
Accuracy	Within a range of 1.4 to 1.55 % of reading
H₂O Measurements	
Measurement range	0 to 60 mmol mol ⁻¹
Accuracy	Between 1.4 to 1.55 % of reading
Measurement rate	1 measurement per second (1 Hz)
Operating temperature range	-20 to 46 °C, without solar loading
Relative humidity range	0 to 95% RH, non-condensing
Operating pressure range	48 to 115kPa
Flow rate	0.72 to 0.76 liters min ⁻¹
Chamber compatible to soil CO₂ flux system – specification	
Bowl Diameter	20 cm Chamber
Volume	4244.1 cm ³
Soil surface area	317.8 cm ² (49.3 inches ²)
Air Temperature Thermistor of chamber	
Operating Range	-20 to 72 °C
Accuracy:	± 0.5 °C over 0 °C to 72 °C
Barometric Pressure Sensor of chamber/ analyser	
Operating Range:	50 - 110 kPa
Accuracy	+/- 0.4 to 0.5 kPa
Resolution	1.45 to 1.55 Pa
Operating Temperature Range	-20 to 55 °C
GPS enabled with accuracy	Circular error probable (CEF) 2.5 meters
Other specification for entire analyser	
Connectivity Ports	USB-A: sealed and strain-relieved, for compatible connection to gasAnalyzer
RJ-45 Ethernet	Sealed and strain relieved, for connection to gas Analyzers
USB-B	Sealed and strain-relieved, for connection to same as well as other gas analysers
USB-A	Standard, for connection to external Wi-Fi adapter. SDI-12 interface (inclusion of Stevens HydraProbe)
Type-E thermocouple adapter port	
Battery Life	At least 20 hours (10 hours per battery, 2 batteries, when powering for a typical use case). Weight: 4 to 4.5 kg
Memory	At least a total of 8 GB or above (including an operating system and user data files)