

क्रय अनुभाग वन अनुसंधान संस्थान देहरादून२४८००६-GSTIN 05AAAAI1708G2Z6 PAN NO. AAAAI1708G

Purchase Section Forest Research Institute, DEHRADUN-248006 Phone: 0135-2224205 http://fri.icfre.gov.in/tender/ Email: po_fri@icfre.org



Dated 07.10.2021

No. XI-24/POFRI/ECC/HS/PLAN/2021-22

Call for Quotation for Rate Contract

Sealed quotations are invited in the prescribed Performa from the Suppliers / Agencies for the refilling of CO_2 Cylinder on Rate Contract Basis during 2021-22. The quotation will be received by the undersigned's office in person or under registered cover up to 02 P.M. on 18.10.2021 and will be opened on the same day at 3 p.m. in the presence of those dealers or their representatives who happen to be present at that time.

Detailed terms and conditions and format of quotation is attached. The quotation should bear the superscription "Quotations for the refilling of CO_2 Cylinder".

Purchase Officer Forest Research Institute

Copy to:-

Head IT Cell, with request to upload it on FRI Website

Quotation for Rate Contract (Should be on official letter-pad of the Firm)

To, Purchase Officer FRI Dehradun

Subject- Quotation for rate contract

Sir,

I am submitting the quotation for refilling of CO₂ gas cylinders.

Name of Item	Rate per cylinder
Refilling of CO ₂ gas cylinders of 30 kg	
GST @ 18%	We should be another to be unser being
Total price per unit	reaction "Ourthings for the children of CO-

Specifications and Terms & Conditions

- 1- 98- 100% commercial CO_2 gas to be used for refilling of cylinders.
- 2- Capacity of One cylinder is 30 kg.
- 3- Delivery/Refilling of the cylinder should be provided (F.O.R) within 2-4 days.
- 4- Total tentative quantity to be refilled during 2021-22 is 135, which is subjected to change.
- 5- Total rate should include all the charges (loading/unloading/transportation etc.)
- 6- Total refilling would be done in 5 10 lots/stages.

I agree to abide by the terms and conditions mentioned above.

Name of the firm-

Address-

GST-Phone No. Mail id-Stamp of the firm-